
SPECIFICATION CONTROL DRAWING



METAL CRIMP SPLICE

Product Rev		I.D.*	Product Dimensions						
Product		<u>a (min)</u>	А	В	С	D	Е		
Name		b (max)					max		
D-436-36	Α	2.16 (0.085)	<u>1.27 (0.050)</u>	2.03 (0.080)	<u>12.95 (0.510)</u>	<u>6.22 (0.245)</u>	0.38		
		0.64 (0.025)	1.14 (0.045)	1.91 (0.075)	12.45 (0.490)	5.72 (0.225)	(0.015)		
D-436-37	Α	2.79 (0.110)	1.75 (0.069)	2.69 (0.106)	14.86 (0.585)	7.11 (0.280)	0.51		
		0.64 (0.025)	1.63 (0.064)	2.57 (0.101)	14.35 (0.565)	6.60 (0.260)	(0.020)		
D-436-38	Α	4.32 (0.170)	2.59 (0.102)	3.89 (0.153)	14.86 (0.585)	7.11 (0.280)	1.27		
		0.64 (0.025)	2.46 (0.097)	3.73 (0.147)	14.35 (0.565)	6.60 (0.260)	(0.050)		

* I.D.: a) As received; b) After unrestricted recovery thru meltable insert.

305 C		ctronics Corporation onstitution Drive rk, CA 94025, USA	<i>Raychem</i> Products	TITLE: IN-LINE SPLICE SEALING SYSTEM, 1 TO 1 MIL-S-81824/1					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCHES DIMENSIONS ARE BETWEEN BRACKETS.					DOCUMENT NO.: D-436-36/-37/-38				
TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A		LES: N/A GHNESS IN CON	drawing at any time. U	ves the right to amend this Jsers should evaluate the ct for their application.	DATE: DOC ISSU 02-Oct-00 1		C ISSUE: 1		
DRAWN BY: REPLACES M. FORONDA		: N/A	DCR NUMBER: D000566	PROD. REV. SEE TABLE	SCALE: None	SIZE: A	SHEET: 1 of 2		

If this document is printed it becomes uncontrolled. Check for the latest revision.

SPECIFICATION CONTROL DRAWING

MATERIALS

- 1. INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked modified polyvinylidene fluoride.
- 2. SEALING RINGS: Immersion resistant thermoplastic. Color: one clear, one color coded (see table below).
- 3. CRIMP SPLICER:

Base Metal: Copper alloy 101 or 102 per ASTM B-75. Plating: Tin, per MIL-T-10727, Type I Color code: See table below.

Product	MIL Spec	Wire Range	Color	Wgt Lbs/Mpc
Name	Equivalent	(AWG)	Code	max
D-436-36	M81824/-1-1	26 - 20	RED	1.02
D-436-37	M81824/-1-2	20 - 16	BLUE	1.61
D-436-38	M81824/-1-3	16 - 12	YELLOW	2.720

APPLICATION

- 1. These parts are designed to provide immersion resistant in-line splices of 1 to 1 wires falling within size range listed above, and having insulations rated for 135°C.
- 2. Parts will meet all requirements of MIL-S-81824/1 when installed as outlined below. Assembly is not required for

acceptance testing inspection.

- 3. Acceptance sampling shall be in accordance with Paragraph 4.6.1 of MIL-S-81824.
- 4. Packing and packaging shall be in accordance with Sections 5, Level C, of MIL-S-81824.
- 5. This document takes precedence over documents reference herein.

ASSEMBLY PROCEDURE:

- 1. Slide sealing sleeve onto one of the wires to be spliced.
- 2. Strip wires 5/16" to 11/32".
- 3. Insert one wire into barrel of crimp splicer and crimp using a Raychem AD-1377 crimp tool. Repeat for other wire.
- 4. Center sealing sleeve over the splice.
- 5. Apply heat, using an approved heat source, first to one of the inserts and then the other. Heat should be applied until insert melts and flows axially along the wire.

<i>tyco</i> <i>Electronics</i>		Tyco Electronics Corporatio 305 Constitution Drive Menlo Park, CA 94025, US		Raychem Products	TITLE: IN-LINE SPLICE SEALIN 1 TO 1 MIL-S-8182			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCHES DIMENSIONS ARE BETWEEN BRACKETS.					DOCUMENT NO.: D-436-36/-37/-38			
TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A	ANGLES: N/A ROUGHNESS IN MICRON		drawing at any time. U	ves the right to amend this Jsers should evaluate the let for their application.	DATE: DOC 02-Oct-00		c issue: 1	
DRAWN BY: M. FORONDA		REPLACES	: N/A	DCR NUMBER: D000566	PROD. REV. SEE TABLE	SCALE: None	SIZE: A	SHEET: 2 of 2

If this document is printed it becomes uncontrolled. Check for the latest revision.